

Form PTO-1390 US DEPARTMENT O (Rev. 12-29-99) TRANSMITTAL LETTER TO T	F COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NO. H 3540 PCT/US										
DESIGNATED/ELECTED OFFI CONCERNING A FILING UND	ICE (DO/EO/US)	U.S. APPLICATION NO. (6 known see 37 CFR 1.5)										
INTERNATIONAL APPLICATION NO. PCT/EP99/08289	INTERNATIONAL FILING DATE October 30, 1999	PRIORITY DATE CLAIMED November 9, 1998										
TITLE OF INVENTION CLEAR-RINSING AGENTS FOR MACHINE DISHWASHING												
APPLICANT(S) FOR DO/EO/US Rita Koester, Ansgar Behl	er, Karl-Heinz Schmid and l	Michael Neuss										
Applicant herewith submits to the United St	ates Designated/Elected Office (EO/DO/US)	the following items and other information:										
1. This is a FIRST submission of ite	ems concerning a filing under 35 U.S.C. 371.											
2. D This is a SECOND or SUBSEQU	JENT submission of items concerning a filing	under 35 U.S.C. 371.										
	tional examination procedures (35 U.S.C. 371 f the applicable time limit set in 35 U.S.C. 371											
A proper Demand for Internation	al Preliminary Examination was made by the 1	9th month from the earliest claimed priority date.										
5. A copy of the International Applic a. is transmitted herewith (r b. has been transmitted by	 A copy of the International Application as filed (35 U.S.C. 371(c)(2)). a.											
6. A translation of the International Ap	plication into English (35 U.S.C. 371(c)(2)).											
a. □ are transmitted herewith b. □ have been transmitted by	vever, the time limit for making such amendme	tional Bureau).										
8. A translation of the amendments to	the claims under PCT Article 19 (35 U.S.C.	371(c)(3)).										
9. An oath or declaration of the inventor	or(s) (35 U.S.C. 371(c)(4)). (UNEXECUT	ED)										
10. A translation of the annexes to the I	nternational Preliminary Examination Report u	ınder PCT Article 36 (35 U.S.C. 371(c)(5)).										
Items 11. to 16. below concern other do 11. An Information Disclosure Stateme												
12. An assignment document for record	ding. A separate cover sheet in compliance w	ith 37 CFR 3.28 and 3.31 is included.										
13. ■ A FIRST preliminary amendment □ A SECOND or SUBSEQUENT pre	eliminary amendment.											
14. A substitute specification.												
15. A change of power of attorney and/	or address letter.											
16. ☐ Other items or information:												
"Express Mail Post Office EL541613752US	to Addressee" service Mai	ling Label Number										

U.S. Application No. (Kknown, s	8375R1.53	1	NEY'S DOCKE O PCT/US	T NUMBER					
17. The following fees are summer to the following fees are summer feet (37 C) Neither international preliminary and International Search International preliminary	FR 1.492(a)(1)-(5)): iminary examination fed fee (37 CFR 1.445(a)(2) Report not prepared by	CALCULA	TIONS I	PTO USE ONLY					
USPTO but International	Search Report prepared examination fee (37 CF)	i by the EPO or JPO R 1.482) not paid to US	PTO but						
international search fee (International preliminary but all claims did not sat	examination fee paid to isfy provisions of PCT A	o USPTO (37 CFR 1.482) vrtide 33(1)-(4)) \$690.00						
International preliminary and all claims satisfied p	rovisions of PCT Article	33(1)-(4)	\$100.00	\$	860	7			
ENTER APPR	OPRIATE BASI	C FEE AMOUNT	=						
Surcharge of \$130.00 for furn months from the earliest claim	ed priority date 37 (CFF	R 1.492(e)).	□ 30	\$	0				
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE						
Total Claims	23 - 20 =	3	3 X \$18.00	\$	54				
Independent Claims	2 - 3 =	0	0 X \$80.00	\$	0				
Multiple dependent claims (s)(if applicable)	0	+ \$270.00	<u> </u>	0 914				
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TOTAL OF ABO	VE CALCULATION	ons =	\$	914				
Reduction of ½ for filing by sn also be filed. (Note 37 CFR 1.	nall entity, if applicable. 9, 1.27, 1.28).	A Small Entity Stateme	nt must	\$	0				
The part of the pa		SUBTOT	AL =	\$	914				
Processing fee of \$130.00 fo			20 🗆 30 +	\$	0				
months from the earliest claim		TAL NATIONAL		\$	914				
Fee for recording the enclosed	l assignment (37 CFR 1	.21(h)). The assignmen	t must be	\$	0				
accompanied by an appropriat		AL FEES ENCLO		\$	914				
	101	AL FEES ENCLO			nt to be:	\$			
				charg		\$ 914.00			
a. A check in the amount	of \$t	co cover the above fees i	s enclosed.						
 b. ■ Please charge my Deposit Account No. <u>50-1177</u> in the amount of \$914.00 to cover the above fees. A triplicate copy of this sheet is enclosed. Order No. <u>01-0280</u>. c. ■ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>50-1177</u>. A triplicate copy of this sheet is enclosed. NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137 (a) or (b)) must be filed and granted to restore the application to pending status. 									
SEND ALL CORRESPONDENC	2500 Ren	rporation, Law Dep aissance Blvd., Suit is, PA 19406	e 200 SI	WATURI	:				
			NA 42	,516	telman ORNEY FOR				
L									

"Express Mail" Mailing Label Number _EL541613752US _.

PATENT Docket No. H 3540 PCT/US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RE:

PCT/EP99/08289

International Filing Date: October 30, 1999 Priority Date Claimed: November 9, 1998

Applicant: Koester et al.

Title: CLEAR-RINSING AGENTS FOR MACHINE DISHWASHING

Applicants' Reference: H 3540 PCT/US

PRELIMINARY AMENDMENT

Commissioner for Patents Box PCT Washington, DC 20231

ATTN: DO/EO/US

Prior to the calculation of fees and examination of the above-identified national stage application pursuant to the accompanying submission under 35 U.S.C. §371, please amend the English translation of the International Application submitted herewith, without prejudice, as follows:

In the Specification:

Please amend the instant Specification, without prejudice, as follows:

Please delete all text above line 6 of page 1, and replace the deleted matter with the following new section headings and title of the invention:

--TITLE OF THE INVENTION

Machine Dishwashing Rinse Agents and Methods of Using the Same

BACKGROUND OF THE INVENTION--

At page 3, between lines 5 and 6 thereof, please insert the following new section heading and new paragraph:

--BRIEF SUMMARY OF THE INVENTION

The present invention relates, in general, to rinse agents for machine dishwashing containing alkoxylated carboxylic acid esters, particularly those obtained by reaction of carboxylic acid esters and alkylene oxides in the presence of calcined hydrotalcites, and to methods of using the alkoxylated carboxylic acid esters for the production of such rinse agents.--

At page 3, line 25 thereof, please insert the following new section heading:
--DETAILED DESCRIPTION OF THE INVENTION--

At page 15, between lines 1 and 2, please add the following new paragraph: --What is claimed is:--.

On a separate, new page 18, following page 17, please add the following new section heading and paragraph containing an Abstract of the Disclosure:

-- ABSTRACT OF THE DISCLOSURE

Rinse agents for machine dishwashing which contain alkoxylated carboxylic acid ester(s), and other optional additives, are described. Methods of rinsing tableware surfaces using the described rinsing agents during machine washing are also described.--

In the Claims:

Please add new claims 14-36, as follows:

--14. (New) A method of rinsing machine-washed tableware materials, said method comprising:

(a) providing a rinse agent comprising an alkoxylated carboxylic acid ester of the general formula (I):

$$R^{1-}C^{-}(OAlk)_{n}OR^{2}$$
 (I)

wherein R¹C(O) represents an aliphatic acyl group, each AlkO independently represents an alkoxylate selected from the group consisting of CH₂CH₂O, CHCH₃CH₂O and CH₂CHCH₃O, n is a number of from 1 to 20, and R² represents an aliphatic alkyl group; and

(b) contacting a tableware material surface with the rinse agent during machine washing of the tableware material surface.--

- --15. (New) The method according to claim 14, wherein R¹C(O) represents an aliphatic acyl group having from 8 to 18 carbon atoms, each AlkO represents a CH₂CH₂O, R2 represents a methyl group, and n is a number of from 5 to 15.--
- --16. (New) The method according to claim 14, wherein the alkoxylated carboxylic acid ester is prepared by reacting a carboxylic acid and an alkylene oxide in the presence of calcined hydrotalcite.--
- --17. (New) The method according to claim 14, wherein the alkoxylated carboxylic acid ester is present in the rinse agent in an amount of from 0.5 to 40% by weight.--
- --18. (New) The method according to claim 14, wherein the rinse agent further comprises an additional nonionic surfactant selected from the group consisting of fatty alcohol polyglycol ethers, alk(en)yl oligoglycosides, fatty acid-N-alkyl glucamides, hydroxy mixed ethers, mixed ethers, and mixtures thereof.--
- --19. (New) The method according to claim 14, wherein the rinse agent further comprises an alk(en)yl oligoglycoside of the general formula (II):

 $R^3O-[G]_p$ (II)

wherein R³ represents an alkyl or alkenyl group having from 4 to 22 carbon atoms, each G independently represents a sugar unit containing 5 or 6 carbon atoms and p represents a number of from 1 to 10.--

--20. (New) The method according to claim 14, wherein the rinse agent further comprises a fatty acid-N-alkyl polyhydroxy alkylamide of the general formula (III):

$$R^4$$
 $R^5CO^-N^-[Z]$ (III)

wherein R⁵CO represents an aliphatic acyl group having from 6 to 22 carbon atoms, R⁴ represents an alkyl or hydroxyalkyl group having from 1 to 4 carbon atoms, and [Z] represents a linear or branched polyhydroxyalkyl group having from 3 to 12 carbon atoms and from 3 to 10 hydroxyl groups.--

--21. (New) The method according to claim 14, wherein the rinse agent further comprises a fatty alcohol poly(alkylene)glycol ether of the general formula (V):

$$R^6O(CH_2CH_2O)_p[MO]_mH$$
 (V)

wherein R⁶ represents an alk(en)yl group having from 8 to 22 carbon atoms, each MO independently represents an alkoxide selected from the group consisting of propylene oxide and butylene oxide, p is a number of from 1 to 15 and m is a number of from 0 to 10.--

--22. (New) The method according to claim 14, wherein the rinse agent further comprises a fatty alcohol polyalkylene glycol ether of the general formula (VI):

$$R^7O[CH_2(CH_3)CHO]_r(CH_2CH_2O)_qH$$
 (VI)

wherein R⁷ represents an alk(en)yl group having from 8 to 22 carbon atoms, r is a number of from 1 to 10 and q is a number of from 0 to 15.--

--23. (New) The method according to claim 14, wherein the rinse agent further comprises a hydroxy mixed ether of the general formula (VII):

$$R^{8}O[CH2CH(CH3)O]x(CH2CHR9O)y[CH2CH(OH)R10]z (VII)$$

wherein R⁸ represents an alk(en)yl group having from 4 to 18 carbon atoms, each R⁹ independently represents a hydrogen or a methyl or ethyl group, each R¹⁰ independently represents an alkyl group having from 2 to 22 carbon atoms, x is a number of from 0 to 10, y is a number of from 1 to 30 and z is the number 1.--

- --24. (New) The method according to claim 18, wherein the alkoxylated carboxylic acid ester and the additional nonionic surfactant are present in the rinse agent in a ratio by weight of from 10:90 to 80:20.--
- --25. (New) The method according to claim 14, wherein the rinse agent further comprises an acid selected from the group consisting of monocarboxylic acids, polycarboxylic acids, and mixtures thereof.--
- --26. (New) The method according to claim 25, wherein the acid is present in an amount of from 1 to 50% by weight.--
- --27. (New) The method according to claim 17, wherein the rinse agent further comprises an acid selected from the group consisting of monocarboxylic acids, polycarboxylic acids, and mixtures thereof.--
- --28. (New) The method according to claim 27, wherein the acid is present in an amount of from 1 to 50% by weight.--
- --29. (New) The method according to claim 19, wherein the rinse agent further comprises an acid selected from the group consisting of monocarboxylic acids, polycarboxylic acids, and mixtures thereof.--
- --30. (New) The method according to claim 29, wherein the acid is present in an amount of from 1 to 50% by weight.--
 - --31. (New) A rinsing agent comprising:
 - (a) an alkoxylated carboxylic acid ester of the general formula (I):

$$\begin{array}{c}
O \\
R^{1-}C^{-}(OAlk)_{n}OR^{2}
\end{array} (I)$$

wherein R¹C(O) represents an aliphatic acyl group, each AlkO independently represents an alkoxylate selected from the group consisting of CH₂CH₂O, CHCH₃CH₂O and CH₂CHCH₃O, n is a number of from 1 to 20, and R² represents an aliphatic alkyl group; and

- (b) an acid selected from the group consisting of monocarboxylic acids, polycarboxylic acids, and mixtures thereof.--
- --32. (New) The rinsing agent according to claim 31, further comprising an additional nonionic surfactant selected from the group consisting of fatty alcohol polyglycol ethers, alk(en)yl oligoglycosides, fatty acid-N-alkyl glucamides, hydroxy mixed ethers, mixed ethers, and mixtures thereof.--
- --33. (New) The rinsing agent according to claim 31, further comprising a solubilizer.--
- --34. (New) The rinsing agent according to claim 31, wherein the alkoxylated carboxylic acid ester is present in the rinse agent in an amount of from 0.5 to 40% by weight.--
- --35. (New) The rinsing agent according to claim 31, wherein the acid is present in an amount of from 1 to 50% by weight.--
- --36. (New) The rinsing agent according to claim 32, further comprising a solubilizer, wherein the alkoxylated carboxylic acid ester is present in the rinse agent in an amount of from 0.5 to 40% by weight, and wherein the acid is present in an amount of from 1 to 50% by weight.--

Please cancel claims 1-13, without prejudice.

REMARKS

Claims 14-36 are currently pending in the instant application.

The Specification has been amended to delete the original section headings and to insert the preferred section headings pursuant to 37 C.F.R. §1.77. A new Title of the Invention has been inserted. An Abstract of the Disclosure, in accordance with the disclosure, has been added. It is submitted that the amendments to the Specification made herein introduce no new matter. All of the amendments to the Specification constitute deletions of original section headings and/or paragraphs, and insertions or additions of new section headings and/or paragraphs. Accordingly, pursuant to 37 C.F.R. §1.121(b)(1)(iii), no separate page captioned "VERSION WITH MARKINGS TO SHOW CHANGES MADE" is necessary. A separate page containing a clean copy of the Abstract of the Disclosure has been added for the Examiner's convenience. Entry of the amendments to the Specification made herein are therefore proper and respectfully requested.

Original claims 1-13 have been canceled and replaced with new claims 14-36 solely for the purpose of improving clarity and grammar, which may suffer in translation, and not for any reason which relates to the statutory requirements for a patent. New claims 14-36 have not been added in response to any rejection, nor in anticipation of any rejection.

Applicants respectfully submit that the scope of new claims 14-36 generally corresponds to the scope of original claims 1-13, and that new claims 14-36 are no narrower than original claims 1-13. Furthermore, although a moot point in view of their cancellation, Applicants respectfully submit that original claims 1-13 satisfied the requirements of 35 U.S.C. §112, as filed. New claims 14-36 are supported by the claims as originally filed and in the Specification, for example, at page 3, lines 1-24; at page 4, line 28, through page 5, line 2; and in the Examples. No new matter has been introduced. All of the amendments to the Claims constitute cancellation of original claims and the addition of new claims. Accordingly, pursuant to 37 C.F.R. §1.121(c)(1)(ii), no separate page captioned "VERSION WITH MARKINGS TO SHOW CHANGES MADE" is necessary. Entry is therefore proper and respectfully requested.

Prompt examination of the instant application in view of the amendments made herein is respectfully requested.

Respectfully submitted,

RITA KOESTER, et al.

AARON R. ETTELMAN

(Reg. No. 42,516)
Attorney for Applicants
Telephone: (610) 278-4930

Facsimile: (610) 278-6548 E-Mail: AARON.ETTELMAN@HENKEL-AMERICAS.COM

Cognis Corporation, Patent Dept. 2500 Renaissance Blvd., Suite 200 Gulph Mills, PA 19406

ARE/ras

G:\Data\amend\H3540pam.doc

ABSTRACT OF THE DISCLOSURE

Rinse agents for machine dishwashing which contain alkoxylated carboxylic acid ester(s), and other optional additives, are described. Methods of rinsing tableware surfaces using the described rinsing agents during machine washing are also described.

10

15

20

25

WO 00/27987

JC08 Rec'd PCT/PTO 0 9 MAY 2001 PCT/EP99/08289

Clear-rinsing Agents for Machine Dishwashing

1

This invention relates to rinse agents for machine dishwashing containing alkoxylated carboxylic acid esters, more particularly those obtained by reaction of carboxylic acid esters and alkylene oxides in the presence of calcined hydrotalcites, and to the use of the alkoxylated carboxylic acid esters as a surfactant for the production of the rinse agents.

Today, tableware washed by machine often has to meet more stringent requirements than tableware washed by hand. Thus, even dishes completely freed from food remains are evaluated as unsatisfactory when, after machine dishwashing, they still show whitish stains which are attributable to water hardness or other mineral salts and which emanate from dried-on water droplets through lack of wetting agents.

Accordingly, in order to obtain sparkling tableware without any stains, rinse agents are now being successfully used. The addition of rinse agents at the end of the wash program ensures that the water drains completely from the tableware so that, at the end of the wash program, the various surfaces are free from residues and sparkling.

Commercially available rinse agents are mixtures of nonionic surfactants, solubilizers (for example cumenesulfonate), organic acids (for example citric acid) and solvents (for example ethanol), water and optionally preservatives and perfumes. The function of the surfactants in these rinse agents is to influence the interfacial tension of the water in such a way that it drains from the tableware in a thin coherent film so that no water droplets, streaks or films remain behind after the subsequent drying phase (so-called wetting effect). Another function of the surfactants is to suppress the foam caused by food residues in the dishwashing machine. Since the rinse agents generally contain acids to improve the clear drying

effect, the surfactants used also have to be relatively stable to hydrolysis by acids.

In addition, only biodegradable, toxicologically and dermatologically safe ingredients are now considered for use in rinse agent formulations. Accordingly, the surfactants used in the rinse agents also have to exhibit these properties.

5

10

15

20

25

30

EP-B1 0 197 434 (Henkel) describes rinse agents which contain mixed ethers as nonionic surfactants. Many different materials (glass, metal, silver, plastic, china) are cleaned in dishwashing machines. This range of materials has to be thoroughly wetted in the final rinse cycle. Rinse agent formulations containing mixed ethers as sole surfactant component meet these requirements to only a limited extent, if at all, so that the clear rinse or drying effect is unsatisfactory, particularly on plastic surfaces.

DE-A1 19 611 999 and **WO 94/13618** describe alkoxylated carboxylic acid esters which are obtained by homogeneous catalysis in the presence of hydroxides and reducing agents or a co-catalyst. According to both these documents, such compounds may be used in laundry detergents, dishwashing detergents and cleaners.

DE-A-43 26 112 describes low-foaming multipurpose cleaners which contain alkoxylated carboxylic acid esters in admixture with alkyl glycosides and optionally other surfactants, such as alkyl sulfates, alkyl ether sulfates and fatty alcohol polyglycol ethers. These multipurpose cleaners are intended for cleaning hard surfaces, such as clinker bricks, ceramic tiles, enamels, PVC or wooden floors. In contrast to rinse agents, however, multipurpose cleaners always contain anionic surfactants. In addition, multipurpose cleaners, unlike rinse agents, are intended to generate a rich initial foam. Finally, other surfactant concentrations are used in multipurpose cleaners. Accordingly, multipurpose cleaners and rinse agents have to meet different requirements.

15

20

25

30

The problem addressed by the present invention was to provide new ecologically and toxicologically safe rinse agents which would be at least equivalent to commercially available rinse agents in their performance properties and which would not have any of the disadvantages mentioned above.

Accordingly, in a first embodiment, the present invention relates to rinse agents for machine dishwashing containing alkoxylated carboxylic acid esters corresponding to formula (I):

10
$$R^1C(OAlk)_nOR^2$$
 (I)

in which R¹CO is an aliphatic acyl group, AlkO stands for CH₂CH₂O, CHCH₃CH₂O and/or CH₂CHCH₃O, n is a number of 1 to 20 and R² is an aliphatic alkyl group.

It has surprisingly been found that rinse agents containing alkoxylated carboxylic acid esters and more particularly in admixture with mixed ethers. hydroxy mixed ethers and/or fatty alcohol polypropylene/polyethylene glycol ethers only not show high ecotoxicological compatibility, they also fully satisfy the requirements a commercial product is expected to meet in terms of performance properties. In particular, corresponding rinse agents have an outstanding wetting agent effect and an excellent foam-suppressing effect.

Alkoxylated carboxylic acid esters

Alkoxylated carboxylic acid esters, which are a compulsory constituent of the rinse agents according to the invention, are known from the prior art. They may be obtained, for example, by esterification of alkoxylated carboxylic acids with alcohols. For the purposes of the present invention, however, the compounds are produced by reaction of carboxylic

acid esters with alkylene oxides using catalysts, more especially calcined hydrotalcite in accordance with **DE-A-39 14 131**, which give compounds with a narrow homolog distribution. According to the invention, alkoxylated carboxylic acid esters corresponding to general formula (I), in which R¹CO is an aliphatic acyl group containing 6 to 22 carbon atoms, AlkO stands for a CH₂CH₂O-, CHCH₃CH₂O- and/or CH₂-CHCH₃O group, n has an average value of 3 to 20 and R² is an aliphatic alkyl group containing 1 to 22 carbon atoms, are preferred.

Preferred acyl groups are derived from carboxylic acids containing 6

5

10

15

20

25

30

Preferred acyl groups are derived from carboxylic acids containing 6 to 22 carbon atoms of natural or synthetic origin, more especially from linear, saturated and/or unsaturated fatty acids, including the technical mixtures thereof obtainable by lipolysis from animal and/or vegetable fats and oils, for example from coconut oil, palm kernel oil, palm oil, soya oil, sunflower oil, rapeseed oil, cottonseed oil, fish oil, bovine tallow and lard. Examples of such carboxylic acids are caproic acid, caprylic acid, 2-ethyl hexanoic acid, capric acid, lauric acid, isotridecanoic acid, myristic acid, palmitic acid, palmitoleic acid, stearic acid, isostearic acid, oleic acid, elaidic acid, petroselic acid, linoleic acid, linolenic acid, elaeostearic acid, arachic acid, gadoleic acid, behenic acid and/or erucic acid. More particularly, R¹CO is a linear, even-numbered acyl group containing 8 to 18 carbon atoms.

Preferred alkyl groups R² are derived from primary, aliphatic monohydric alcohols containing 1 to 22 carbon atoms which may be saturated and/or unsaturated. Examples of suitable monoalcohols are methanol, ethanol, propanol, butanol, pentanol and the hydrogenation products of the above-mentioned carboxylic acids containing 6 to 22 carbon atoms. More particularly, R² is a methyl group.

AlkO preferably stands for a CH₂CH₂O group.

Alkoxylated carboxylic acid esters of formula (I), in which R¹CO is a linear, even-numbered acyl group containing 8 to 18 carbon atoms, AlkO

10

15

20

25

WO 00/27987 5 PCT/EP99/08289

stands for a CH₂CH₂O group, n has an average value of 5 to 15 and R² is a methyl group, are particularly suitable. Examples of such compounds are carboxylic acid methyl esters alkoxylated with, on average, 5, 7, 9 or 11 moles of ethylene oxide.

If particularly low-viscosity rinse agents are required, it is advisable to use alkoxylated carboxylic acid esters derived from short-chain carboxylic acids, more particularly those containing 8 to 10 carbon atoms. High cleaning performances are obtained with alkoxylated carboxylic acid esters derived from relatively long-chain carboxylic acids, more particularly those containing 12 to 18 carbon atoms.

The alkoxylated carboxylic acid esters may be present as sole nonionic surfactant in the rinse agents, preferably in quantities of 0.5 to 40% by weight and more particularly in quantities of 5 to 35% by weight. However, the alkoxylated carboxylic acid esters are preferably present in the rinse agents in admixture with other nonionic surfactants. Typical examples of suitable other nonionic surfactants are mixed ethers, hydroxy mixed ethers, fatty alcohol polyglycol ethers, alkyl phenol polyglycol ethers, fatty acid amide polyglycol ethers, fatty amine polyglycol ethers, alkoxylated triglycerides, alk(en)yl oligoglycosides, fatty acid-N-alkyl glucamides, protein hydrolyzates (more particularly wheat-based vegetable products), polyol fatty acid esters, sugar esters, sorbitan esters and polysorbates. Where the nonionic surfactants contain polyglycol ether chains, they may have a conventional homolog distribution although they preferably have a narrow homolog distribution. Preferred other nonionic surfactants are fatty alcohol polyglycol ethers, alkyl oligoglucosides, fatty acid-N-alkyl glucamides, hydroxy mixed ethers and/or mixed ethers.

In a preferred embodiment of the invention, the nonionic surfactants used are alkyl and alkenyl oligoglycosides corresponding to formula (II):

30 $R^3O-[G]_p$ (II)

15

20

25

30

The last top one with the man time and the same and the s

in which R3 is an alkyl and/or alkenyl group containing 4 to 22 carbon atoms, G is a sugar unit containing 5 or 6 carbon atoms and p is a number of 1 to 10. They may be obtained by the relevant methods of preparative organic chemistry.

The alkyl and/or alkenyl oligoglycosides may be derived from aldoses or ketoses containing 5 or 6 carbon atoms, preferably glucose. Accordingly, the preferred alkyl and/or alkenyl oligoglycosides are alkyl and/or alkenyl oligoglucosides. The index p in general formula (II) indicates the degree of oligomerization (DP), i.e. the distribution of monoand oligoglycosides, and is a number of 1 to 10. Whereas p in a given compound must always be an integer and, above all, may assume a value of 1 to 6, the value p for a certain alkyl oligoglycoside is an analytically determined calculated quantity which is generally a broken number. Alkyl and/or alkenyl oligoglycosides having an average degree of oligomerization p of 1.1 to 3.0 are preferably used. Alkyl and/or alkenyl oligoglycosides having a degree of oligomerization of less than 1.7 and, more particularly, between 1.2 and 1.4 are preferred from the applicational point of view. The alkyl or alkenyl group R³ may be derived from primary alcohols containing 4 to 11 and preferably 8 to 10 carbon atoms. Typical examples are butanol, caproic alcohol, caprylic alcohol, capric alcohol and undecyl alcohol and the technical mixtures thereof obtained, for example, in the hydrogenation of technical fatty acid methyl esters or in the hydrogenation of aldehydes from Roelen's oxosynthesis. Alkyl oligoglucosides having a chain length of C_8 to C_{10} (DP = 1 to 3), which are obtained as first runnings in the separation of technical C₈₋₁₈ coconut fatty alcohol by distillation and which may contain less than 6% by weight of C₁₂ alcohol as an impurity, and also alkyl oligoglucosides based on technical $C_{9/11}$ oxoalcohols (DP = 1 to 3) are preferred. In addition, the alkyl or alkenyl group R3 may also be derived from primary alcohols containing 12 to 22 and preferably 12 to 14 carbon

10

15

20

25

30

WO 00/27987 7 PCT/EP99/08289

atoms. Typical examples are lauryl alcohol, myristyl alcohol, cetyl alcohol, palmitoleyl alcohol, stearyl alcohol, isostearyl alcohol, oleyl alcohol, elaidyl alcohol, petroselinyl alcohol, arachyl alcohol, gadoleyl alcohol, behenyl alcohol, erucyl alcohol, brassidyl alcohol and technical mixtures thereof which may be obtained as described above. Alkyl oligoglucosides based on hydrogenated C_{12/14} coconut fatty alcohol with a DP of 1 to 3 are preferred.

Another group of preferred other nonionic surfactants are fatty acid-N-alkyl polyhydroxyalkylamides which correspond to formula (III):

where R⁵CO is an aliphatic acyl group containing 6 to 22 carbon atoms, R⁴ is an alkyl or hydroxyalkyl group containing 1 to 4 carbon atoms and [Z] is a linear or branched polyhydroxyalkyl group containing 3 to 12 carbon atoms and 3 to 10 hydroxyl groups. The fatty acid-N-alkyl polyhydroxyalkylamides are known compounds which may normally be obtained by reductive amination of a reducing sugar with an alkylamine or an alkanolamine and subsequent acylation with a fatty acid, a fatty acid alkyl ester or a fatty acid chloride. Processes for their production are described in US 1,985,424, in US 2,016,962 and in US 2,703,798 and in International patent application WO 92/06984. An overview of this subject by H. Kelkenberg can be found in Tens. Surf. Det. 25, 8 (1988).

The fatty acid-N-alkyl polyhydroxyalkylamides are preferably derived from reducing sugars containing 5 or 6 carbon atoms, more particularly from glucose. Accordingly, the preferred fatty acid-N-alkyl polyhydroxyalkylamides are fatty acid-N-alkyl glucamides which correspond to formula (IV):

10

15

20

25

30

Preferred fatty acid-N-alkyl polyhydroxyalkylamides are glucamides corresponding to formula (IV) in which R⁴ is an alkyl group and R⁵CO represents the acyl component of caproic acid, caprylic acid, capric acid, lauric acid, myristic acid, palmitic acid, palmitoleic acid, stearic acid, isostearic acid, oleic acid, elaidic acid, petroselic acid, linoleic acid, linolenic acid, arachic acid, gadoleic acid, behenic acid or erucic acid or technical mixtures thereof. Fatty acid-N-alkyl glucamides (IV) obtained by reductive amination of glucose with methylamine and subsequent acylation with lauric acid or C_{12/14} cocofatty acid or a corresponding derivative are particularly preferred. In addition, the polyhydroxyalkylamides may also be derived from maltose and palatinose.

Fatty alcohol polyglycol ethers are particularly preferred as the other nonionic surfactants. The fatty alcohol polyglycol ethers are products of the addition of alkylene oxides containing 2 to 4 carbon atoms (ethylene oxide, propylene oxide and/or butylene oxide) onto fatty alcohols containing 6 to 22 carbon atoms. In one embodiment, the fatty alcohol polyglycol ethers are products of the addition of first ethylene oxide and then optionally propylene oxide and/or butylene oxide onto fatty alcohols of the described type. Within this embodiment, particularly suitable fatty alcohol polyethylene glycol/polypropylene or polybutylene glycol ethers are those corresponding to formula (V):

$$R^6O(CH_2CH_2O)_p[MO]_mH$$
 (V)

in which R⁶ is an alkyl and/or alkylene group containing 8 to 22 carbon

10

15

20

25

30

WO 00/27987

atoms, MO is a propylene oxide and/or a butylene oxide unit, p is a number of 1 to 15 and m is 0 or a number of 1 to 10.

Fatty alcohol polyethylene glycol/polypropylene or polybutylene glycol ethers corresponding to formula (V) may be produced, for example, in accordance with European patent application EP-A2-161 537 or DE-A1 39 28 602 and DE-A1 39 28 600.

Particularly suitable representatives are those of formula (V) in which R⁶ is an aliphatic, saturated, linear or branched alkyl group containing 8 to 16 carbon atoms, o is a number of 1 to 5 and m = 0. These ethers are products of the addition of 1 to 5 moles ethylene oxide onto monohydric alcohols. Suitable monohydric alcohols are the so-called fatty alcohols, such as caproic, caprylic, lauryl, myristyl and stearyl alcohol and the technical mixtures thereof obtained in the high-pressure hydrogenation of technical methyl esters based on fats and oils. Examples of monohydric branched alcohols are the so-called oxo alcohols which generally carry 2 to 4 methyl groups as branches and are produced by the oxo process and so-called Guerbet alcohols which are branched in the 2-position by an alkyl group. Suitable Guerbet alcohols are 2-ethyl hexanol, 2-butyl octanol, 2-hexyl decanol and/or 2-octyl dodecanol.

Other suitable compounds of formula (V) are those in which R⁶ is an aliphatic, saturated, linear or branched alkyl group containing 8 to 16 carbon atoms, o is a number of 2 to 7 and m is a number of 3 to 7. These compounds are addition products of monohydric alcohols of the described type alkoxylated first with 2 to 7 moles ethylene oxide and then with 3 to 7 moles propylene and/or butylene oxide.

In another preferred embodiment, the rinse agents contain fatty alcohol polyglycol ethers which are products of the addition of first propylene oxide and then optionally ethylene oxide. Accordingly, the ethers in question are fatty alcohol polypropylene glycol/polyethylene glycol ethers which preferably correspond to formula (VI):

10

15

20

25

30

R⁷O[CH₂(CH₃)CHO]_r(CH₂CH₂O)_qH

(VI)

in which R⁷ is an alkyl and/or alkenyl group containing 8 to 22 carbon atoms, r is a number of 1 to 10 and q is a number of 0 to 15.

Compounds such as these are described, for example, in **DE-A1 43 23 252.** Particularly preferred representatives of the compounds corresponding to formula (**VI**) are those in which R⁷ is an aliphatic, saturated, linear or branched alkyl chain containing 8 to 16 carbon atoms, r is a number of 1 to 5 and q is a number of 1 to 6. These compounds are preferably products of the addition of 1 to 5 moles propylene oxide and 1 to 6 moles ethylene oxide onto monohydric alcohols of the type already described.

Particularly preferred other nonionic surfactants also include the so-called mixed ethers. The mixed ethers are products of the addition of ethylene oxide and/or propylene oxide onto fatty alcohols which are end-capped by subsequent reaction with an alkyl chloride in the presence of bases. Particularly suitable mixed ethers are those which have been produced by end-capping with an alkyl halide containing 1 to 8 carbon atoms and more particularly with 1 to 4 carbon atoms of the fatty alcohol polyglycol ethers corresponding to formula (V) and/or (VI). Typical examples are mixed ethers based on a technical C_{12/18} or C_{12/14} cocoalcohol onto which 5 to 10 moles of ethylene oxide have been added and which have been end-capped with a methyl group or with a butyl group, for example Dehypon® LS-54, LS-104, LT-54, LS-104, LS-531, Henkel KGaA, Düsseldorf/FRG).

Other particularly preferred nonionic surfactants are so-called hydroxy mixed ethers which have been produced by reaction of 1,2-epoxyalkanes with mono-, di- and/or polyhydric alkoxylated alcohols. Preferred hydroxy mixed ethers correspond to formula (VII):

10

15

20

25

30

WO 00/27987 11 PCT/EP99/08289

$R^{8}O[CH₂CH(CH₃)O]_x(CH₂CHR⁹O)_y[CH₂CH(OH)R¹⁰]_z (VII)$

in which R^8 is an alkyl and/or alkylene group containing 4 to 18 carbon atoms, R^9 is hydrogen or a methyl or ethyl group, R^{10} is an alkyl group containing 2 to 22 carbon atoms, x is 0 or a number of 1 to 10, y is a number of 1 to 30 and z is the number 1.

Hydroxy mixed ethers corresponding to formula (**VII**) are known from the literature and are described, for example, in **WO 96/12001**. They are produced by reaction of 1,2-epoxyalkanes ($R^{10}CHOCH_2$) with monohydric alkoxylated alcohols. According to the invention, hydroxy mixed ethers derived from alkoxylates of monohydric alcohols (z = 1) with the formula R^8 -OH are preferred. Suitable examples of alcohols have already been given in connection with the fatty alcohol polyglycol ethers.

The alcohols are used in the form of their alkoxylates which are produced in known manner by reaction of the alcohols with ethylene oxide, propylene oxide and/or butylene oxide. Alkoxylates of alcohols which have been alkoxylated with 10 to 25 moles of ethylene oxide (R^9 = hydrogen, x = 0, y = 10 to 25) or with 1 to 3 moles of propylene oxide and then with 10 to 25 moles of ethylene oxide (R^9 = hydrogen, x = 1 to 3, y = 10 to 25) are preferably used.

Most particularly suitable hydroxy mixed ethers corresponding to formula (VII) are those in which R⁸ is a saturated linear alkyl chain containing 8 to 14 carbon atoms, R⁹ is hydrogen, R¹⁰ is a saturated linear alkyl chain containing 8 to 12 carbon atoms, x is 0 or a number of 1 to 3, y is a number of 10 to 25 and z is the number 1. Hydroxy mixed ethers such as these are described in detail in **DE-A1 37 23 323**.

The rinse agents according to the invention may contain the alkoxylated carboxylic acid esters and the other nonionic surfactants, more particularly the mixed ethers, hydroxy mixed ethers and the fatty alcohol

10

15

20

25

30

polyglycol ethers in a ratio by weight of 10:90 to 80:20 and more particularly 30:70 to 40:60. The ratio by weight of the other nonionic surfactants to one another is less critical.

Besides the surfactants already described, the rinse agent formulations according to the invention contain mono- and/or polybasic carboxylic acids, preferably hydroxycarboxylic acids, as their most important additives. Typical examples are malic acid (monohydroxysuccinic acid), tartaric acid (dihydroxysuccinic acid), saturated aliphatic dicarboxylic acids, such as oxalic acid, malonic acid, succinic acid, glutaric acid, adipic acid, gluconic acid (hexanepentahydroxy-1-carboxylic acid), but preferably water-free citric acid. They may be used in the rinse agents in quantities of about 1 to 50% by weight and preferably in quantities of about 5 to 30% by weight. Suitable other additives are, above all, dyes and perfumes and preservatives, preferably in quantities of 0 to 1% by weight. If desired, the rinse agents may additionally contain solubilizers or hydrotropes. A suitable solubilizer is cumene sulfonate in quantities of 0 to 25% by weight and more particularly in quantities of 0.2 to 15% by weight. expressed as active substance. Recommended hydrotropes are ethanol and/or isopropanol in quantities of 0 to 25% by weight. The balance to 100% by weight is water.

Commercial Applications

The rinse agents according to the invention contain ecotoxicologically particularly safe ingredients, show excellent wetting behavior on various materials and excellent foam-suppressing behavior.

The present invention also relates to the use of alkoxylated carboxylic acid esters as a surfactant for the production of rinse agents for machine dishwashing.

The alkoxylated carboxylic acid esters used show excellent solubility in water without passing through a gel phase. The rinse agents may be

used both in the domestic sector and in the institutional sector.

Examples

Rinse agents with the compositions shown in Table 1 (% by weight, based on active substance) were prepared and tested for their clear rinse effect. The clear rinse effect was visually evaluated on the basis of the lime stains observed on glasses, cutlery and plates after they had been cleaned in a commercially available domestic dishwasher at 65°C. The domestic dishwasher was filled with the rinse agents according to the invention and with a comparison formulation (= standard).

If at least 4 out of 5 people visually evaluated a relatively small number of lime stains, the clear rinse effect was judged to be "better than standard". The results are set out in Table 1.

15 Table 1. Rinse agent formulations

Ingredients	Standard	Ex. 1	Ex. 2	Ex. 3	Ex. 4						
C _{8/18} CO(EO) ₁₀ CH ₃ ^a	-	15	2.0	5.0	5.0						
Hydroxy mixed etherb	-	-	5.0	10.0	-						
C _{12/14} FA+5EO+4PO°	15.0	-	8.0	-	10.0						
Cumenesulfonate	8.0	5.0	3.0	2.0	5.0						
Citric acid	5.0	5.0	5.0	5.0	5.0						
		to 100% by weight water									
Clear rinse effect	+	+ Better than B		Better than	Better than						
		standard	standard	standard	standard						

- C_{8/18}CO(EO)₁₀CH₃ = C_{8/18} fatty acid methyl ester ethoxylated with 10 moles ethylene oxide (EO)
- Hydroxy mixed ether = $C_{8/10}$ alcohol cut + 1PO + 22 EO epoxidized with α -decene epoxide

 $C_{12/14}$ FA+5EO+4PO = $C_{12/14}$ alcohol cut ethoxylated with 5 moles EO and 4 moles propylene oxide (PO)

 R^2 is a methy group.

15

20

CLAIMS

1. Rinse agents for machine dishwashing containing alkoxylated carboxylic acid esters corresponding to formula (I):

5
$$R^1C(OAlk)_nOR^2$$
 (I)

in which R¹CO is an aliphatic acyl group, AlkO stands for CH₂CH₂O, CHCH₃CH₂O and/or CH₂CHCH₃O, n is a number of 1 to 20 and R² is an aliphatic alkyl group.

- 2. Rinse agents as claimed in claim 1, characterized in that they contain alkoxylated carboxylic acid esters corresponding to formula (I) in which R¹CO is an aliphatic acyl group containing 8 to 18 carbon atoms, AlkO stands for a CH₂CH₂O group, n has an average value of 5 to 15 and
- 3. Rinse agents as claimed in claim 1 or 2, characterized in that they contain alkoxylated carboxylic acid esters corresponding to formula (I) which have been produced by reaction of carboxylic acids with alkylene oxides in the presence of calcined hydrotalcite.
- 4. Rinse aids as claimed in any of claims 1 to3, characterized in that the alkoxylated carboxylic acid esters are present in quantities of 0.5 to 40% by weight.
- 5. Rinse agents as claimed in any of claims 1 to 4, characterized in that the alkoxylated carboxylic acid esters are present in admixture with other nonionic surfactants selected in particular from the group of fatty alcohol polyglycol ethers, alkyl oligoglucosides, fatty acid-N-alkyl glucamides, hydroxy mixed ethers and/or mixed ethers.
- 6. Rinse agents as claimed in claim 5, characterized in that alkoxylated carboxylic acid esters are present in admixture with alkyl polyglycosides corresponding to formula (II):

25

 $R^3O-[G]_p$ (II)

in which R³ is an alkyl and/or alkenyl group containing 4 to 22 carbon atoms, G is a sugar unit containing 5 or 6 carbon atoms and p is a number of 1 to 10.

7. Rinse agents as claimed in claim 5, characterized in that alkoxylated carboxylic acid esters are present in admixture with fatty acid-N-alkyl polyhydroxyalkylamides corresponding to formula (III):

R⁴ | R⁵CO-N-[Z] (III)

where R⁵CO is an aliphatic acyl group containing 6 to 22 carbon atoms, R⁴ is an alkyl or hydroxyalkyl group containing 1 to 4 carbon atoms and [Z] is a linear or branched polyhydroxyalkyl group containing 3 to 12 carbon atoms and 3 to 10 hydroxyl groups.

8. Rinse agents as claimed in claim 5, characterized in that alkoxylated carboxylic acid esters are present in admixture with fatty alcohol polyethylene glycol/polypropylene or polybutylene glycol ethers corresponding to formula (V):

$$R^6O(CH_2CH_2O)_p[MO]_mH$$
 (V)

in which R⁶ is an alkyl and/or alkylene group containing 8 to 22 carbon atoms, MO is a propylene oxide and/or a butylene oxide unit, p is a number of 1 to 15 and m is 0 or a number of 1 to 10.

9. Rinse agents as claimed in claim 5, characterized in that alkoxylated 30 carboxylic acid esters are present in admixture with fatty alcohol polypropylene glycol/polyethylene glycol ethers corresponding to formula

(VI):

R⁷O[CH₂(CH₃)CHO]_r(CH₂CH₂O)_aH

(VI)

- 5 in which R⁷ is an alkyl and/or alkenyl group containing 8 to 22 carbon atoms, r is a number of 1 to 10 and q is a number of 0 to 15.
 - 10. Rinse agents as claimed in claim 5, characterized in that alkoxylated carboxylic acid esters are present in admixture with hydroxy mixed ethers corresponding to formula (VII):

10

15

$R^{8}O[CH₂CH(CH₃)O]_x(CH₂CHR⁹O)_y[CH₂CH(OH)R¹⁰]_z (VII)$

in which R⁸ is an alkyl and/or alkylene group containing 4 to 18 carbon atoms, R⁹ is hydrogen or a methyl or ethyl group, R¹⁰ is an alkyl group containing 2 to 22 carbon atoms, x is 0 or a number of 1 to 10, y is a number of 1 to 30 and z is the number 1.

- 11. Rinse agents as claimed in any of claims 5 to 10, characterized in that the alkoxylated carboxylic acid esters and the other nonionic surfactants are present in a ratio by weight of 10:90 to 80:20.
- 20 12. Rinse agents as claimed in any of claims 1 to 11, characterized in that they contain mono- and/or polybasic carboxylic acids, preferably citric acid, in quantities of 1 to 50% by weight.
- 13. The use of alkoxylated carboxylic acid esters corresponding to formula (I) as a surfactant for the production of rinse agents for machine25 dishwashing.

PTO/SB/01 (6-95) Approved for use through: 10/31/98 OMB 0651-0032

Type a plus sign (+) inside this box	(→	Pat	ent and I rademan	COffice; U.S. DE	PARTMENT OF COMMERC						
0010/PTO Rev. 6/95	U.S. Department of Commerce Patent and Trademark Office	Attorne Numbe	y Docket er	H 3540 PC	T/US						
DECLARAT	ION FOR	First N	amed r	KOESTER, Rita							
UTILITY OR	DESIGN		COMPLETE IF KNOWN								
PATENT APP	LICATION	Applica	tion Number	tion Number 09/831,432							
	01										
Declaration OR Submitted	Declaration Submitted after	Group	Art Unit								
with Initial Filing	Initial Filing	Examir	er Name								
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: CLEAR-RINSING AGENTS FOR MACHINE DISHWASHING (Title of the Invention) is attached hereto OR X was filed on (MM/DD/YYYY) 10/30/1999 as United States Application Number or PCT International											
Application Number PCT/EP	99/08289 and w	vas amended	on (MM/DD/YYYY)		(if applicable).						
Application Number PCT/EP99/08289 and was amended on (MM/DD/YYYY) I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above. I acknowledge the duty to disclose information which is material to patentability as defined in Title 37 Code of Federal Regulations, § 1.56. I hereby claim foreign priority benefits under Title 35, United States Code §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT International application											
having a filing date before that of the appli Prior Foreign Application	Country	Foreign F	-	Priority	Certified Copy Attached?						
Number(s)											
Additional foreign application	n numbers are listed on a sup Title 35. United States Code				tion(s) listed below						
Application Number(s)	Filing Date (MM/DD/YYY		, Jimos Otatoo pi	Additional provi	sional						
			application numbers are listed on a supplemental priority sheet attached hereto.								
Burden Hour Statement: This form is estimat are required to complete this form should be	ed to take .4 hours to complete. Timesent to the Chief Information Officer.	e will vary deper Patent and Trad	ding upon the needs of	are listed on a supplemental properties attached the individual case.	riority hereto.						

are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231.

DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

"Express Mail Post Office to Addressee" service Mailing Label Number

EL541612598US

DECLARATION

Page 2

I hereby claim the benefit under Title 35, United States Code §120 of any United States application(s), or §365(c) of any PCT interdesignation that I have a Code §120 of any United States application (s), or §365(c) of any PCT interdesignation (s).	
Thereby claim the behalf under Title 35, United States Code §120 of any United States application(s), or §365(c) of any PCT interior	national application
designating the United States of America States below and traction at	adonal application
designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is	not displaced in the
miles I listed Clarke - DOT international list to the	i not disclosed in the
prior United States or PCT international application in the manner provided by the first paragraph of Title 35, United States Code §	440 4
district district in the so, office States Code 9	112.1 acknowledge the
duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations \$1.56 which beca	man areallable bearing
" Parameter of Parameters of Code of Code at Adjustions \$1.50 William Deca	me avallable between
the filing date of the prior application and the national or PCT international filing date of this application.	
and the many date of the prior appropries and the haronar of POT international ming date of this application.	

designating the Unite prior United States o duty to disclose infor the filing date of the	mation which is m	a application in t aterial to patenta	he manner provid abilitv as defined i	led by the first para in Title 37. Code of	graph of Title 35, Federal Regulation	i instant Cta	4 C-4- C44	0.4 1	4 - 4 41		
U.S. Parent / Num	• •		Parent Imber					Parent Patent Number (if applicable)			
		PCT/EP99	/08289	10/30/199	9						
Additional U.S	. or PCT internation	onal application i	numbers are liste	d on a supplement	al priority sheet at	lached he	reto.				
As a named inventor Trademark Office co	I hereby appoint to nected therewith:	he following atto	rney(s) and/or ag	ent(s) to prosecute	this application a	nd to trans	sact all busine	ess in the Pa	atent and		
Firm Name Customer or label											
OR X List Attorney	(s) and/or agent(s) name and re	egistration numb	per below:				_	_		
	Name		Registration Number			Name		Registra Num			
John E. Drach Steven J. Trzas	ska		32,891 36,296		Aaron R. Ettelman Henry E. Millson, Jr. 42.5 18,9						
Additional att	orney(s) and/or a	agent(s) named	l on a suppleme	ental sheet attach	ed hereto.						
Please direct all correspondence to:		X Custome Number	er orlabel	236	557	OR		correspon ss below	dence		
Name A	aron R. Ettelm	an									
Address			· · · · · · · · · · · · · · · · · · ·								
City				State				ZIP			
Country			Telephone	610-278-4		Fa		10-278-6	548		
I hereby declare that belief are believed to like so made are pu willful false stateme	o be true; and ful nishable by fine nts may jeopardi	ther that these or imprisonmer ze the validity o	statements we nt. or both, unde	re made with the er Section 1001 o	knowledge that v f Title 18 of the I	villful falc	e etatement	e and the	:h		
Name of Sole of	r First Invent	or:			A petition	has beer	filed for this	unsigned			
Given Rita Name			Middle Initial	Family Name	Koester			Suffix e.g. Jr.			
Inventor's Signature	12:19	lió	stu			Date	05/0	8120	0/		
Residence: City	Duesseldorf		State	Country	y Germany ∂€	$_{\chi}$	Citizenship	German	У		
Post Office Address	Aachener	Strasse 55				·					
Post Office Address						_					
City 40223 Due	esseldorf	State	Zip	Country	Germany		Applicant Authority				
X Additiona	inventors are	being named	on suppleme	ental sheet(s) at	tached hereto						

Page 2

50 THE STATE OF TH

DECLARATION										ADDITIONAL INVENTOR(S) Supplemental Sheet						
Name	of A	Additi	ona	al Joint Invent	or, if an	y:] A	petiti	on l	has been fil	ed for	this unsig	ned in	ventor
Given Name		Ansgar			1	iddle itial			Family Behler Name			Suffix e.g. Jr.				
Invento Signatu	. –	l	7~	15eJ 3	Ju								Date	05/0	18/x	2001
Resider City	nce:	o.	Bot	trop			State			Cour	ntry	Germany		Citizenship	itizenship Germany	
Post Office Address Siegfriedstrasse 80																
Post Office Address																
City	462	240 Bo	ttro	Р	State		Zip			Cour	ntry	Germany		Applicant Authority		
Name	of /	\dditi	ona	I Joint Invent	ог, if an	у:] A	petiti	on h	nas been fil			ned in	entor/
Given Name	س,	Kar	1-H	einz			iddle ițial			Family Name	/ ;	Schmid			Suffix e.g. Jr.	
Inventor Signatu		X	a	il fkin	2/1	P	221	1					Date	051		200/
Resider City	nce:	-	Met	tmann		T	State			Cour	ntry	Germany	_	Citizenship	Germany	
Post Of	fice A	\ddres	s	Stifterstrasse	10								•		•	
Post Of	fice A	\ddres:	s													
City	408	22 Me	ettm	ann	State		Zip Country Germany			Germany	Applicant Authority					
Name	of A	Additio	ona	I Joint Invento	or, if an	y:] A	petitio	on h	nas been file	-		ned in	entor
Given Name		Mic	hae	1			iddle itial		Family Neuss				Suffix e.g. Jr.			
Inventor Signatu	- 1	G	Ž.	Sied	10	1	// -						Date	05/6	81~	80 j
Resider City	nce:	_	Koe	in	U	/ [State			Country Germany			Citizenship	Germany		
Post Of	fice A	\ddres:	s	Sesamstrasse	2						_	•				****
Post Of	fice A	ddres	s													
City	509	97 Ko	eln		State		Zip			Coun	try	Germany	Applicant Authority			
Name	of A	Additio	ona	I Joint Invento	or, if any	y:			l A	petitio	on h	nas been file			ned inv	entor
Given Name					iddle itial			Family Name					Suffix e.g. Jr.			
Inventor Signatu				1				-					Date			
Residence: City			1	State			Coun	try		(Citizenship					
Post Of	fice A	ddres	s			•		-				-			-	
Post Of	fice A	ddress	s		***************************************											***
City					State		Zip			Coun	try			Applicant Authority		
\Box	Add	litiona	l inv	entors are bein	g name	d on	supple	menta	l she	eet(s)	atta	ched hereto				